

# THE **ONE-TILL**



## The **ONE** Tillage Implement For All Your Tillage Needs



# The One Tillage Implement For All Your Tillage Needs

ONE-Till is the one tillage tool you'll need, whether you're preparing your seedbed, managing trash, reclaiming land or repairing ruts. It will do the job you need it to do in a broad range of conditions.

## PREPARE THE PERFECT SEEDBED

ONE-Till shreds that layer of trash and residue left behind after last year's harvest or after years of minimum and no-till operations. It cuts through compacted areas and mixes the trash into the top 1 to 4 inches of topsoil. That allows your seed to reach fertile soil, and lets oxygen and moisture through to germinate those precious seeds.

ONE-Till levels ruts and destroys clods, leaving behind a firm and level seedbed. Even the most severe ruts will be leveled and filled after one or two passes with the ONE-Till.

When the ground is wet, ONE-Till will dry and warm your soil so you can get out planting earlier and your seed will germinate faster and more evenly.

ONE-Till lets you choose the packer that's ideal for your soil condition to produce the perfect, firm, finished seedbed.



## TRANSPORT WITH EASE

Rite Way understands that farmers need to be able to easily transport their equipment from one field to the next. That's why we've always put a lot of thought into how our products convert from field to transport mode and back again, and how easily they move from field to field.

- With a 12' 6" transport width, you can pull the ONE-Till on nearly any road. And with a 12' 6" transport height, they will fit under bridges and power lines and in your storage buildings.

- The ONE-Till always has all four tires on the ground. So there's no need to over-inflate them for transport when moving from field to field. That means you can maintain the 20 to 25 psi on your tires, which is the ideal pressure for preventing bouncing in the field. The four oversized high flotation tires will withstand being transported, and then provide you with the even weight distribution and flotation needed on the field.

- ONE-Till features Rite Way's patented FORWARD™ unfolding system. Transforming from transport to field mode is all done hydraulically, without you ever having to back up with the tractor and ONE-Till.

## BUILT STRONG, NOT OVERBUILT

Rite Way engineers know that adding needless extra weight doesn't necessarily make something stronger. Just like with people, extra weight in the wrong places can cause weakening elsewhere. We make sure our equipment is the ideal weight to do the job and then we concentrate on making it overall strong.

## GET AN EVEN FINISH ON ANY TERRAIN

Rite Way products have always been known for their unique ability to follow the contours of the field, while maintaining constant pressure or depth. ONE-Till is no exception.

- Front to back, each part of the ONE-Till maintains the depth set by you as it traverses the hills and valleys of your land.
- Side-to-side flexibility is allowed through the independent wing sections.
- Our packer suspension system gives each of the 6 packer sections the unique ability to walk across rocks without lifting the rest of the machine.
- Independent discs with rubber torsion shocks walk over rocks while the remaining discs continue their work at the set depth.



## REJUVENATE AND PREPARE

Rejuvenate that old pasture or grassland or get it ready for planting. After using the ONE-Till, you'll be left with a seedbed that's ready for whatever crop might be suited to the land.

## MANAGE YOUR TRASH IN THE FALL

ONE-Till cuts through trash and residue left after harvest and mixes it into the topsoil allowing it to break down over the winter. Whether your crop was wheat, flax, canola or corn, ONE-Till is the best choice for sizing the straw and incorporating it into the soil.



## EASY TO SET, EASY TO MAINTAIN

- The ONE-Till is easy to set up and you can adjust the cutting depth in minutes, simply by adding or subtracting cylinder stops. The parallel linkage system ensures proper operation at every setting.

- Did you drive your ONE-Till into a field condition that would spell trouble for most farm implements? No problem! If you get stuck, simply put it back into transport position and drive out.

- Rite Way provides maintenance-free disc bearings and roller bearings that are designed to operate for years in all conditions.



Cross-angled discs ensure every inch of your field is worked.



Effectively follow the contours of your field

# ONE-TILL SPECIFICATIONS

MODEL	32'
Working Width	32' 9.8 m
Transport Width	12' 6" 3.8 m
Weight (approx)	28,800 lbs 9,507 kg
Transport Height	12' 6" 3.8 m
Transport Length	31' 2" 9.5 m
Hp required per foot	10-15
Disc Size	20" 50.8 cm
Disc Spacing	5" 12.7 cm
Tires	4 x 560 - 45 x 22.5

## THE HEART OF THE ONE-TILL

The ONE-Till disc sections efficiently cut, shred and mix trash. Each row of 20" discs is set at offset, opposing angles to ensure that nothing is missed and that every inch of the field has been tilled.

Choose from:

- wavy, concave discs
- notched, concave discs



## THE FINISHING TOUCH

After the disc gangs do the work of shredding and mixing, the packers complete the job by giving the field a smooth finish.

Depending on where your land is located, you may want to choose from the following types of packers:




- sawtooth
- chevron
- rubber
- basket

## FEATURES

- Auto-fold with Rite Way hydraulic pivot wheel system
- Achieves 100% coverage at 2.75" (6.98 cm)
- Individual shank with torsion suspension for each disc
- Parallel linkage insures even penetration, front and rear



## ULTRA NARROW TRANSPORT



## Rite Way Mfg. Co. Ltd.

P.O. Box 26097 Regina, SK S4R 8R7 Canada  
[www.ritewaymfg.com](http://www.ritewaymfg.com) [info@ritewaymfg.com](mailto:info@ritewaymfg.com)  
 Ph: 306-337-4440 Toll Free: 1-800-352-8822



Your local dealer: